Please type a plus sign (+) inside this box

Please type a plus sign (+) inside this box

+

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# UTILITY PATENT APPLICATION **TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 004346.P001X First Inventor or Application Identifier Elliot A. Gottfurcht

AN APPARATUS AND METHOD FOR SIMPLE WIDE-AREA NETWORK Title

Express Mail Label No. EM522829376US

'n	APPLICATION ELEMENTS					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
To	See MPEP	See NPEP chapter 600 concerning utility patent application contents				ADDRESS TO:  Assistant Commissioner for Patents Box Patent Application Washington, DC 20231					-
	1. X Fee	e Fransmittal Omit an original	Form (e.g. PT)	D/SB/17)							
	2. Spe	ecification	and a duplicate for	_	5.	M	licrofiche	Computer	Program (/	Appendix)	=
	(prei	referred arrangement set forth below)  Descriptive title of the Invention			6. 1	Nucleotide and/or Amino Acid Sequence Submission     (if applicable, all necessary)					20 70
ı	- De	escriptive titi	e of the Inven	tion		_		• .			Ü
- 1	- St:	oss neieren stemont Boo	ces to Relate	ed Applications consored R & D		a	Compute	er Readab	le Copy		
	- Re	eference to A	arding Fed sp			b. Paper Copy (identical to computer copy					
	- Ba	<ul> <li>Reference to Microfiche Appendix</li> <li>Background of the Invention</li> <li>Brief Summary of the Invention</li> </ul>			c. Statement verifying identity of above						
	- Bri										
- 1	<ul> <li>Brief Description of the Drawings (if filed)</li> <li>Detailed Description</li> </ul>			<u> </u>	ACCOMPANYING APPLICATION PARTS						
- 1				7.	Assign	nment Pa	pers (cov	er sheet & d	document(s))		
		claim(s) bstract of the Disclosure			8.	37 CF	R 3.73(b)	Statemer			
3	. Drawii	ing(s) (35 U.S.C.113)		Total Sheets 28	9. [		nere is an ass			ower of Attorney	
4.		Declaration	<b>~</b>	Total Pages 3 iginal copy)  pplication (37 CFR 1.63(d)) 16 completed)					nent <i>(if applic</i> a	able)	
	a. 🛭	Newly			10.	Statem	nent (IDS)	n Disclosure (IDS)/PTO - 1449 Citations			
	b. [	Copy	from a prior ap		) 11.		nary Ame			-114110/13	
		(iu conintia	ion/aivisional with-Box 10		12.	Return	Receipt F e specifically	ostcard (	MPEP 503)		
		i. DELETION OF INVENTOR(S) Signed statement attacks			13.	*Small	Entity -	State	ment filed in	prior en-l'i- ii	-1
		in	ventor(s) nam	atement attached deleting named in the prior application		Statement(s) Status still prov					n,
		30	C 37 CFR 1.6	3(d)(2) and 1.33(b).	<sup>on,</sup> 14.	Comme	a Copy of	opy of Priority Document(s)  Oriority is claimed)			
* <u>^</u>	OTE FOR ITEMS 1.8.13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES. A					15. Other:					-
PF	RIOR APPLICATIO	R APPLICATION IS RELIED UPON (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A									
16.	If a CONTINUING APPLICATION shockers										1
	☐ Cor	If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:  Continuation Divisional Continuation-in-part (CIP)							4		
Prior application Information: Examiner Not Assigned Group/Art Unit: 2756 is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporated in the submitted application parts.					0.014						
					2756	1					
					lied under Box 4b, The incorporation	1					
-		17. CORRESPONDENCE ADDRESS							4		
	Customer Number of Bar Code Label										4
<u> </u>				(Insert Customer No. or Attac	h bare code lab	are code label here) or Correspondence address below				s below	l
\ \ \	me BLAKELY, SOF			DKOLOFF, TAYLOR & ZAFMAN LLP							
Ac	dress 12400 Wilshire Bouley			Boulevard Seventh Flor							1
Address 12400 Wilshire Boulevard, Seventh Floor  City Los Appeles											
		Los Angeles		State	Califor	nia	70	2 Code			1
- 00	untry	U.S	S.A.	Telephone		207-3800		Code Fax	90025	20.5000	
Name (Print/Type) Thomas M. Coester, Reg. No. 39,637				20-3988							
ļ	Signature	í	Thomas		- ,			<del></del>	03/03/00		
D.	rdon II- O						J	Date	ひかけがけ		

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Box Patent Application, Washington, DC 20231. 03/03/00 Date

Ü

APPLICANT OR PATENTEE: Elliot A. Gottfurcht, Grant E. Gottfurcht, and  OUR REF NO: 004346.P001X
SERIAL OR PATENT NO.:FILED/ISSUE DATE:
FOR: AN APPARATUS AND METHOD FOR SIMPLE WIDE-AREA NETWORK NAVIGATION
VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS 37 CFR 1.9(f) AND 1.27(b) - INDEPENDENT INVENTOR
As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled AN APPARATUS AND METHOD FOR SIMPLE WIDE-AREA NETWORK  NAVIGATION  described in
The will.
[ ] APPLICATION SERIAL NO.:, FILED:
PATENT NO.:, ISSUED:
I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).
Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey or license any rights in the invention is listed below:
[X] NO SUCH PERSON, CONCERN, OR ORGANIZATION
[ ] PERSONS, CONCERNS, OR ORGANIZATIONS LISTED BELOW.*
*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)
NAME:
ADDRESS: [ ] INDIVIDUAL [ ] SMALL BUSINESS CONCERN [ ] NONPROFIT ORGANIZATION
[ ] INDIVIDUAL [ ] SMALL BUSINESS CONCERN [ ] NONPROFIT ORGANIZATION
NAME:
ADDRESS:
[ ] INDIVIDUAL [ ] SMALL BUSINESS CONCERN [ ] NONPROFIT ORGANIZATION
I acknowledge the duty to file in this application or potent, notification of

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Elliot A Gottfurcht NAME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
Signature of Inventor  2 - 3 - 00	Signature of Inventor	Signature of Inventor
DATE	DATE	DATE

Albert-Michel C. Long	Elliot A. Gottfurcht, Grant E. Gottfurcht, and OUR REF NO: 004346.P0012
SERIAL OR PATENT NO.:	FILED/ISSUE DATE:
FOR: AN APPARATUS AND METH	OD FOR SIMPLE WIDE-AREA NETWORK NAVIGATION
VERIFIED STATEMENT (DECI 37 CFR 1.9(f) AN	LARATION) CLAIMING SMALL ENTITY STATU D 1.27(b) - INDEPENDENT INVENTOR
States Code, to the Patent and Tradema	eclare that I qualify as an independent inventor as defined in reduced fees under section 41(a) and (b) of Title 35, United ark Office with regard to the invention entitled <u>A N</u> FOR SIMPLE WIDE-AREA NETWORK
[X] THE SPECIFICATION FILED	HEREWITH.
[ ] APPLICATION SERIAL NO.:	, FILED:
	, ISSUED:
classified as an independent inventor up to any concern which would not qualify nonprofit organization under 37 CFR 1 Each person, concern or organization to	or licensed and am under no obligation under contract or law rights in the invention to any person who could not be nder 37 CFR 1.9(c) if that person had made the invention, or y as a small business concern under 37 CFR 1.9(d) or a9(e).  To which I have assigned, granted, conveyed, or licensed or or law to assign, grant, convey or license any rights in the
[ ] NO SUCH PERSON, CONCE	RN, OR ORGANIZATION
[X] PERSONS, CONCERNS, OR	ORGANIZATIONS LISTED BELOW.*
*NOTE: Separate verified states organization having rig (37 CFR 1.27)	ments are required from each named person, concern or ghts to the invention averring to their status as small entities.
NAME: Elliot A. Gottfurcht	
ADDRESS: 1018 Hartzell, Pacific Pali [X] INDIVIDUAL [ ] SMALL BU	
NAME:	
ADDRESS:	
	SINESS CONCERN [ ] NONPROFIT ORGANIZATION
I acknowledge the duty to file in this an	inlication or natent, notification of any change in state

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Grant E. Gottfurcht NAME OF INVENTOR	Albert-Michel C. Long NAME OF INVENTOR	NAME OF INVENTOR
Signature of Inventor	Signature of Inventor	Signature of Inventor
03/03/00 DATE	03/03/00 DATE	DATE

Docket No.: 004346.P001X Express Mail No.: EM522829376US

#### UNITED STATES PATENT APPLICATION

#### **FOR**

# AN APPARATUS AND METHOD FOR SIMPLE WIDE-AREA NETWORK NAVIGATION

#### Inventors:

Elliot A. Gottfurcht Grant E. Gottfurcht Albert-Michel C. Long

Prepared By:

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN 12400 Wilshire Blvd., 7th Floor Los Angeles, California 90025-1026 (310) 207-3800 This is a continuation-in-part of Serial No. 09/440,214, entitled AN APPARATUS AND METHOD FOR SIMPLE WIDE-AREA NETWORK NAVIGATION, filed November 15, 1999.

5

10

there were free first with the first first first

15

20

#### **BACKGROUND**

#### (1) Field of the Invention

The invention relates to electronic information services and electronic commerce services. More specifically, the invention relates to providing easy navigation to facilitate access to such services and improved web access through a television display, internet appliance, and wireless devices.

The importance of the Internet as a tool of electronic commerce can not be

### (2) Background

overstated. The ability of consumers to buy products, obtain information from the comfort of their own home is revolutionizing the way business is done. Increasingly, there is a push to provide access to the Internet on standard television monitors through the use of set top boxes. Over time, much like cable-ready televisions, it is expected that Internet-ready televisions will proliferate. Unfortunately, even on large screen televisions the web surfing experience is poor, inasmuch as the web content is illegible and/or unnegotiable, unless you happen to be sitting very close to the television. Generally, this makes web surfing impractical in more traditional television environments. As the television web access systems

proliferate, improved navigation and content access on the television is likely to

-1-

Docket No.: 004346.P001X

become a necessity.

## **BRIEF SUMMARY OF THE INVENTION**

A method and apparatus of simplified navigation is disclosed. A web page is provided having a link to a sister site. The sister site facilitates simplified navigation. Pages from the sister site are served responsive to actuation of the sister site link. In one embodiment, the sister site includes matrix pages to permit matrix navigation.

Docket No.: 004346.P001X -2- Express Mail No.: EM522829376US

20

25

5

10

### **BRIEF DESCRIPTION OF THE DRAWINGS**

**Figure 1** is a block diagram of a system employing one embodiment of the invention.

Figure 2a is an exemplary web page having a sister site link.

Figure 2b is an exemplary first matrix page of a sister site for the web page of Figure 2a.

Figure 2c is a web page having irregular segmentation.

Figure 3 is a flow diagram of conversion of standard HTML pages to a sister site format in one embodiment of the invention.

**Figure 4** is a block diagram of a client hardware architecture of one embodiment of the invention.

**Figure 5a** is a flow diagram of server side segmentation in one embodiment of the invention.

**Figure 5b** is a flow diagram of client side manipulation of a segmented page in one embodiment of the invention.

**Figure 5c** is a diagram showing a system implementing the tab, scroll, and zoom features of one embodiment of the invention.

Figure 6 is a flow chart of operations of the navigation system of one embodiment of the invention in a custom terminal custom browser node.

**Figure 7** is a flow diagram of operation of the sister site server of one embodiment of the invention.

**Figure 8** is a diagram of the display of a graphical user interface of one embodiment of the invention.

Figure 9a-d are examples of sister site matrix pages.

Figures 10a-g are a series of matrix layers displayed during an exemplary navigation using one embodiment of the invention.

Figure 11 shows a history window overlying a navigation matrix layer.

Figures 12a and b are an example of a matrix layer of one embodiment of the invention.

Figure 13 is an e-mail composition matrix layer for one embodiment of the 5 invention.

**Figure 14** shows an alternative matrix page of one embodiment of the invention.

Docket No.: 004346.P001X -4- Express Mail No.: EM522829376US

5

#### **DETAILED DESCRIPTION**

A simplified system for navigation of the Internet or other content source allows access to the content and services available thereon with greater ease, on, for example, a display more remote from a user than in the use of the "traditional" personal computer (PC) two foot paradigm.

Figure 1 is a block diagram of a system employing one embodiment of the invention. A wide-area network (WAN) 10, such as the Internet, couples together a plurality of communication nodes. Some nodes, such as node 12, may be a standard prior art PC executing any conventional web browser. Alternatively, node 12 might be a set top box and television, or an internet appliance, or a wireless device, such as a web-enabled cell phone. Additionally, there are server nodes connected to WAN 10, such as server node 16, which may be any conventional web server. Also coupled to WAN 10 are browser nodes 22 running a custom browser that facilitate access to information and services provided to the custom browser node 22. The custom browser node 22 as well as any browser nodes 12 are collectively referred to as client nodes. Content partners, such as content partner node 14 provide content in a specified format that facilitates its use by the client nodes 12, 22. In one embodiment, when a user accesses a content partner home page, they have the option of linking to a sister site. As used herein, "sister site" is deemed to mean a site that provides for navigation of the site using a simplified navigation system, such as matrix navigation described in more detail below. In one embodiment, the sister site is traditional HTML pages converted to a matrix format to permit matrix

Docket No.: 004346.P001X -5- Express Mail No.: EM522829376US

5

navigation. This conversion may be done using an XML transcoding or any other suitable language.

Content partners may maintain a database of sister site web pages corresponding to the pages in the general use site. Alternatively, content partners may provide a facility for converting web pages on the fly to the sister site format. Content partners may also provide for segmentation of the base HTML web pages and/or the matrix pages. A segmentation may be performed in a number of ways. The page may be divided up based on content or area. The net result, in any case, is that the web page is divided into regions which are not necessarily, but may be, of equal size. The individual regions may be brought into focus independently. By "brought into focus," the concept of focus in this context is analogous to the front window in a windowing system. The focus region is deemed active and subject to client manipulation. In the context of a matrix page, one suitable segmentation is by cell, e.g., each cell corresponds to a region that may be independently brought into focus. The borders of the regions may or may not be visible on the web pages displayed. This segmentation facilitates tab, scroll, and zoom features described in more detail below. Alternatively, segmentation may be performed as part of a custom browser on custom browser nodes or may be instantiated as a hardware or firmware solution within, for example, the set top box.

Figure 2a is an exemplary web page having a sister site link. By actuating the link, the client begins receiving matrix pages as described in more detail below.

Figure 2b shows an example first matrix page reached by activating the sister site link in Figure 2a. Figure 2c is a web page having irregular segmentation. Through

5

segmentation, the page is divided into regions. Individual regions may then be brought into focus permitting simplified navigation, viewing, and manipulation of the data within that region.

Figure 3 is a flow diagram of conversion of standard HTML pages to a sister site format in one embodiment of the invention. A hypertext markup language (HTML) page 40 is transcoded by a transcoder 30 to yield, for example, an XML page 42 to which a document type definition (DTD) 38 is applied. The DTD 38 specifies the rules for the structure of the resulting XML document. The XML page is then reformatted using extensible style language (XSL) 34 to corresponding format data 32. XSL is not currently supported by all standard browsers. Thus, after formatting, the XML document is translated to an extensible hypertext markup language (XHTML) document for subsequent display by a client side browser on display 52. Alternatively, the XML page may have a cascading style sheet (CSS) applied to achieve the desired format. One advantage of the CSS is that it is supported by standard browsers. After application of the CSS, the resulting formatted page can be displayed by the client browser on display 52.

The above-described conversion may be done by a content partner in advance of request for pages or may be done on the fly responsive to requests for pages. The determination of which to do involves a trade off between latency in providing requested pages and storage space required to store the additional pages. Some on the fly conversion is desirable in the event that a user attempts to access a web site that has not previously been converted. It is also within the scope and contemplation of providing for conversion on the client side.

5

Figure 4 is a block diagram of a client hardware architecture of one embodiment of the invention. A processor 100 is coupled to various memory units and an I/O bus bridge 110 by a local bus 102. Among the expected memory units are random access memory (RAM) 106, which may be any standard RAM, including standard dynamic random access memory (DRAM), and may be symmetric or asymmetric. Also coupled to bus 102 is a read-only memory (ROM) unit 108. The ROM will typically include the boot code for the processor 100. A non-volatile RAM (NVRAM) unit 104 is also coupled to the bus.

The I/O bus bridge 110 is coupled to the local bus 102 and bridges to the I/O bus 112. A number of units may reside on the I/O bus, including a graphics module 114 that couples to a display (not shown), a universal serial bus (USB) controller that may couple the system to any number of additional USB devices. Common USB devices include keyboards, mice, cameras, scanners, printers, and other peripheral components and input/output devices. Also coupled to the I/O bus may be power management module 118, which may be coupled to the power switch and may include conventional power conservation protocols, ensuring the processor 100 is permitted to orderly conclude its current operation before changing power states.

An infrared data association (IrDA) interface 120 permits the terminal to be coupled to hand-held devices, if desired. In some embodiments, a keyboard may be coupled by an Ir link. Storage unit 122, which may, for example, be a flash memory unit, is used for long-term storage of data or files. A transceiver 124 is used to permit the processor to communicate with the hub, whether it be a point-to-point link or across a wide-area network. The transceiver 124 may be, but is not limited to,

5

an ethernet transceiver, a modem, digital subscriber line (DSL) or cable modem. It is expected that the processor 100 will communicate through the transceiver 124 to the server using transmission control protocol/internet protocol (TCP/IP). Encryption and compression within the terminal may be handled by conventional hardware or software solutions.

Audio I/O interface 126 may include an internal microphone and speaker which permits audio input and output. This is particularly useful in the context of voice e-mail or voice over IP communications. Additionally, some embodiments of the invention will include speech to text (STT) capability 130 and speech recognition (SR) capability 136. Various embodiments may implement these capabilities as hardware or software or a combination of both. In embodiments having SR capability, for simplicity of use, it is desirable to use one of the multiple user SR packages available today and expected to improve in the future, as these packages avoid the necessity of "training" the system. This permits recognition of content of speech and conversion to text.

For purposes of reduced cost, it may be desirable to use a particularly simple speech recognition package, recognizing only, for example, numbers and letters. A suitable speech recognition package will permit a user to navigate the WAN as subsequently described using voice commands and composed e-mails in a handsfree manner. Such an embodiment has the additional advantage that it enables Internet access to the physically challenged. In some embodiments, SR 136 is present, but STT 130 is not. This may permit the processor to respond to voice commands but would not permit composition of e-mail, for example.

5

In one embodiment of the invention, the terminal has a notebook form factor with an integrated LCD display. In an alternative embodiment, the form factor is a set-top box, which relies on an external display, such as a television or external monitor. In either case, a standard QWERTY keyboard could be used. In the set top box embodiment, a wireless keyboard or remote is desirable.

Figure 5a is a flow diagram of server side segmentation in one embodiment of the invention. A request for a page is received at functional block 400. A determination is made at decision block 402 whether the requested page has been segmented. If the page has not been segmented, a determination is made at decision block 404 whether the requested page is a matrix page. If the requested page is a matrix page, at functional block 406, the cells of the matrix are each defined to be a region, thereby completing the segmentation. If the page is not a matrix page, the page is segmented either based on area or content. By "segmentation," it is meant that the page is divided into a plurality of regions. The regions may contain one or more links and/or some amount of content. This segmentation facilitates usability as discussed in more detail below. Once segmentation is complete, at functional block 408, a determination is made if the boundaries of the regions should be shown on the displayed page at decision block 410. If the boundaries are to be shown, the boundaries are overlayed on the page at functional block 412 after the overlay, or if no boundaries are to be shown, the page is sent to the client node at functional block 414.

**Figure 5b** is a flow diagram of client side manipulation of a segmented page in one embodiment of the invention. At functional block 450, a segmented page is

Docket No.: 004346.P001X

5

received at a client node. A determination is made at decision block 452 if a tab input has been received. As used herein, a tab input is any input which brings about the functionality of moving the focus from one region to another adjacent region. If no tab input has been received, a determination is made at decision block 454 if the regions have identifying symbols associated therewith. Particularly in the case of matrix pages, the different cells typically have associated therewith either an alphanumeric character or some symbol such as an asterisk or other punctuation mark to identify the cell. If there are identifications associated with the regions, a determination is made at decision block 456 if such an identification has been received as an input on the client node. If the identification has been received, the corresponding region is brought into focus. The focus region is active, and in some embodiments, the corresponding region is zoomed to increase its size relative to the inactive regions at functional block 460. If no identifications are associated with the region or no identification is received, the client waits for a tab input at decision block 452.

If a tab input is received, the next region is brought into focus. If no region is currently in focus, a first region, e.g., the uppermost leftmost region, will be brought into focus at functional block 458. At functional block 462, the regions are scaled so that the in focus region is enlarged relative to the regions which are not in focus. This is particularly desirable for web browsing in a television context where distance from the set may make reading the unscaled page difficult or impossible. Thus, by scaling region by region, readability within the region can be enhanced to permit use and browsing from a distance.

-11-

Docket No.: 004346.P001X

10

15

20

At functional block 464, a first link in the focus region is highlighted. As used herein, "highlighted" means made active such that a subsequent input, such as a predefined key press activates the link. Highlighting in the link context is analogous to focus in the region context. Highlighting may, but need not include, changing the link's appearance in any manner on the display such as, for example, changing size, color, shading, etc. A determination is made at decision block 466 if an enter signal has been received. However, if no enter signal has been received, a determination is made at decision block 468 if a scroll signal has been input at the client node. If a scroll signal has been input, a next link is highlighted at functional block 472. If an enter signal is received at functional block 466, a then highlighted link is activated at functional block 474 and a next segmented page is received, and the process begins again. Alternatively, if no scroll signal input is received at decision block 468, a determination is made at decision block 470 whether a tab or identification input has occurred. If it has, the system continues processing at blocks 458 or 460, respectively.

Figure 5c is a diagram showing a system implementing the tab, scroll, and zoom features of one embodiment of the invention. A set top box 500 is coupled to a television monitor 502 and is responsive to remote control 504. Remote control 504 may be a custom remote control, a wireless keyboard, or even a standard universal remote control. Remote control 504 may be equipped with a microphone for accepting voice commands or may merely provide push button inputs. In frame one, television 502 is displaying a web page 510 that has been segmented into eight equally dimensioned regions A-H. Remote control 504 includes a tab function 520, a

Docket No.: 004346.P001X

10

15

20

scroll function 522, and an enter function 524. Responsive to actuation of the tab function, region A is brought into focus, as shown in the second frame. Link one is highlighted and A is enlarged, while the remaining regions are scaled so that A is much larger relative to the other regions, thereby accomplishing a zoom function and improving readability of the information contained in region A. This is shown as web page 512. If, when A is in focus, the user actuates scroll function 522, a second link in region A is highlighted as shown on page 514. In one embodiment, scrolling within the focus region does not effect the size or representation of the non-focus regions. In the event that, at web page 512 or web page 514, the enter function 524 is actuated, link<sub>1</sub> or link<sub>2</sub> would be traversed, respectively. If the segments are actually associated with their alphanumeric designator, and that remote control 504 has alphanumeric keys, for example, letter key F 526, web page 516 shows a web page that would be reached from web page 510, 512, or 514 responsive to actuation of the F key. In web page 516, the F region is in focus, and the remaining regions are scaled to be much smaller than the F region.

These are merely illustrative examples of the tab, scroll, and zoom features of one embodiment of the invention. While the shown embodiment tiles the regions, it is within the scope and contemplation of the invention to overlay the focus region on one or more of the other regions. It is also within the scope of the invention to permit a user to increase the zoom of the focus region to exceed the physical space. In such case, scrolling within the region may be required to view the entire contents of the region. Such scrolling need not effect the display of the non-focused regions.

Docket No.: 004346.P001X

10

15

20

Figure 6 is a flow chart of operations of the navigation system of one embodiment of the invention in a custom terminal custom browser node. Upon power-up at functional block 602, a content partners home page is accessed. In some embodiments, it may be possible to bypass access of the home page and go directly to the sister site home page. At functional block 604, a node establishes communication with a sister site server (SSS). At functional block 605, a first matrix layer is received from the SSS. At decision block 606, the node waits for a keypress. If at decision block 606, a determination is made that a key has been pressed, a determination is made at decision block 607 whether the keypress corresponds to a composition cell. A composition cell is deemed to be a cell in the navigation matrix which permits a user to enter additional data. For example, a search cell or e.g., a purchase order form or an e-mail may have one or more composition cells. If the cell is a composition cell, the system enters composition mode at functional block 632. In composition mode, the digits of the keypad represent the digits themselves, rather than navigation options. The cursor will also appear in the composition field of the composition cell. At decision block 634, a determination is made if the enter key has been pressed. The enter key is defined in one embodiment of the invention to signify the end of a composition. Thus, if the enter key has not been pressed, the system remains in composition mode. However, if at decision block 634, the enter key has been pressed, the system returns to navigation mode at functional block 636. It is also within the scope and contemplation to define other keys to instigate return to the navigation mode.

Docket No.: 004346.P001X -14- Express Mail No.: EM522829376US

15

20

5

If a keypress is received and not found to correspond to a composition cell at decision block 607, a determination is made at decision block 608 whether the matrix layer corresponding to the keypress exists within the cache. In this connection, it is determined whether a representation of that matrix layer, even if in the cache, is stale and therefore needs to be freshly downloaded. If the data is stale or not present in the cache at all, the keypress event is sent to the SSS. In one embodiment, the entire navigation path, including the keypress event, is sent with each keypress. When the navigation path is sent with each keypress event, the SSS is able to identify the requested matrix layer rapidly on the fly.

Subsequently, at functional block 612, the client node receives the updated matrix layer corresponding to the keypress event. That matrix layer is loaded to the memory at functional block 614 and the cache is time-stamped at functional block 616. At functional block 618, new ads may be received from the SSS. Notably, the receipt of the ads is asynchronous with the matrix layer receipt and may occur at any time without being prompted by a keypress event. At functional block 620, the incoming matrix layer is rendered to a temporary buffer by using a double-buffering technique. The actual rendering is transparent to the user. At functional block 622, the status bar for the load is updated to indicate the percent complete of the matrix layer rendering. At functional block 624, a determination is made if the rendering is complete. If it is not, the buffer continues to render and the status bar continues to update. By regularly updating the status bar, the user is not left wondering if the device is working. This is expected to limit the frustration experienced by many new users during the wait while matrix layers are rendered. If the rendering is

Docket No.: 004346.P001X

20

5

complete, the temporary buffer is swapped with the frame buffer and the new matrix layer is displayed at functional block 626. Then at functional block 628, the history of the navigation path is updated to reflect the new matrix layer. The system then returns to await a next keypress to indicate further navigation. By iteratively pressing appropriate keys, a user may navigate to any desired depth up to a maximum depth along any navigation path and obtain content relevant to the path navigated. If instead, the matrix layer was validly in the cache at decision block 608, the matrix layer is rendered from the cache at functional block 630 and the system awaits the next keypress.

"Maximum depth" as used herein applies on a cell by cell basis for primary navigation options. A maximum depth is reached for a cell in a navigation path when pressing a corresponding key will not take a user to a deeper matrix layer in the matrix. While content, as distinguished from the matrix layer and their cell headings, will be displayed once a maximum depth is reached, it is within the scope and contemplation of the invention to display some content in cells of an intermediate matrix layer, i.e. one that is not at the maximum depth.

"Primary navigation options" as used herein are those navigation options that necessarily change between successive matrix layers, changing from general to more specific with increases in depth in the matrix.

Figure 7 is a flow diagram of operation of the sister site server of one embodiment of the invention. A determination is made if the keypress event has been received at decision block 702. If the keypress event has been received, a determination is made if the matrix has reached maximum depth at decision block

Docket No.: 004346,P001X

10

15

20

704. If the matrix has not reached the maximum depth, a matrix layer corresponding to the keypress is sent at functional block 706. Such matrix layers may or may not include content in cells with navigation choices. If the matrix has reached maximum depth for that navigation path, a content layer corresponding to the keypress event is sent to the client node at functional block 708. A content layer may or may not include matrix cells in addition to the content. New ads are sent to the client node at functional block 710. The system then awaits the next keypress event from a client node.

Figure 8 is a diagram of the display of a graphical user interface of one embodiment of the invention. The screen is divided into a plurality of cells. In this embodiment, there are fifteen cells that represent navigation options and one messaging cell for displaying messages from the server, the progress or status bar, and a title block. The cells can further be subdivided between the digit keys 1-9 keys which, in this embodiment, represent the primary set of navigation options and the keys designated by letters A-C which represent secondary navigation options and \*, 0, and # keys that may be additional navigation options or provide specialized functions. For example, the \* key may return the user to the server home site, thereby leaving matrix navigation. The ABC cells will typically hold advertising, and selecting one of those cells will generate a matrix layer with primary navigation cells directed to that advertiser or the product line being advertised. While the interface is designed to be fully accessible with minimal key strokes from a key pad, it is also within the scope and contemplation of the invention to permit selection with a mouse or other pointer device.

Docket No.: 004346.P001X -17- Express Mail No.: EM522829376US

10

15

20

Figures 9a-d are example sister site matrix pages. In Figure 9a, an advertising cell 900 is the focus region of the displayed image. Ten advertisements are displayed within the regions. The first advertisement 902 is highlighted. From this matrix page, the \* returns a user to the amazon.com home page. The # reveals the contents of a user's shopping cart. In Figure 9b, the contents of the focus window have been enlarged (zoomed) such that only four advertisements are displayed in ad cell 900. The no links/advertisements are highlighted. In Figure 9c, advertisement 902 is again highlighted. This may occur, for example, by a user pressing a scroll key from Figure 9b. In Figure 9d, a user has pressed a scroll key several times from Figure 9c. Thus, advertisement 902 has scrolled out of view and advertisement 904 is highlighted. While in this example, ten advertisements were present, the number of links within such a cell may be arbitrarily large. In the shown embodiment, scrolling through the links in the focus cell and scaling the focus cell content does not effect the user's view of the remaining cells.

Figures 10a-g are a series of matrix layers displayed during an exemplary navigation using one embodiment of the invention. In this example, navigation begins at the Shopping and Products matrix layer and shown in Figure 10a. A selection of 5 on the 10a matrix layer yields an Electronics matrix layer shown in Figure 10b.

Selecting 1 on the keypad when the matrix layer of 10b is displayed yields the Audio matrix layer of Figure 10c. By selecting an 8 on the keypad when 10c is displayed, the system displays a Receivers matrix layer of Figure 10d, which breaks down receivers into price categories and also provides the option of navigating, in

Docket No.: 004346.P001X -18- Express Mail No.: EM522829376US

10

15

20

this embodiment, into Consumer Reports industry reports related to receivers.

Notably, in Figure 10d, the number of primary navigation options is reduced to 4.

Thus, it is not necessary that all layers of the matrix have the same number of cells, nor is it required that all cells have the same size. A user can select Stereo Only by pressing 1 on the keypad, which yields a stereo only matrix layer shown in Figure 10e.

In one embodiment of the invention, the products are ordered based on some ranking system, such as Consumer Reports. Thus, for example, in Figure 10e, Technics received the highest ranking of receivers in the selected category from Consumer Reports. It is expected that for any particular product class, potential purchasers are likely to only be interested in the top several products within that class, not for example, the 15<sup>th</sup> best receiver in the \$150-\$290 range. However, it is within the scope and contemplation of the invention to permit a "more" option which allows a user to get a set of the next most highly ranked products and possibly unranked products as well. It is expected that supplying product options in a user-friendly ranked order will encourage users to be more willing to conduct e-commerce.

By selecting a 1 on the keypad when matrix layer 10e is displayed, a user reaches the matrix layer of Figure 10f, as well as reaching the maximum depth for that navigation path. Thus, pressing 1 on the keypad in response to matrix layer 10f does not move the user deeper into the multi-dimensional matrix, and content is displayed in cell 1 indicating the model, price, picture, and possibly other information about the Technics product. Cell 1 is also larger than the other cells.

Docket No.: 004346.P001X

15

20

Other navigation options are provided in additional matrix cells surrounding cell 1 and its content. The additional cells represent navigation paths that have not reached their maximum depth. For example, by pressing a 3, one would get to a features of the Technics product content layer. Such screen would display features of the Technics system. The various navigation paths typically have a maximum depth at which content is displayed. However, reaching the maximum depth of a particular navigation path does not indicate that another navigation path may not have yet a deeper matrix layer. For example, while the maximum depth of the navigation path corresponded to cell 1 has been reach in Figure 10f, selecting a 9 on the keypad will move a user to a Technics purchase matrix layer, shown in Figure 10g. By selecting digits on the keypad, a user can move between fields to fill out a purchase form which, as discussed above, is one example of a matrix layer including composition cells. In some embodiments, the form can be filled in using keyboard input. In other embodiments, the speech to text capabilities of the terminal will permit the user to fill out the electronic purchase form orally.

**Figure 11** shows a history window overlying a navigation matrix. The history window would appear if the history button on the keypad were actuated. By using the up/down arrow key on the keypad, the user may then select a prior matrix to jump to directly without moving backwards or forwards iteratively.

Figures 12a and b are an example matrix after a selection of 0 from the main menu screen, which allows one to conduct a search through cell 1. On this figure, advertisements for Jaguar appear in the ABC cells. In one embodiment of the invention, the ABC designation appears initially (as shown in Figure 12a)when the

Docket No.: 004346.P001X -20- Express Mail No.: EM522829376US

10

15

20

screen is first refreshed and then fades away to reveal solely the advertisement in each of those cells (as shown in Figure 12b). In this example, pressing an A on the keypad would take the user to a matrix reflecting company information about Jaguar. Pressing B would take the user to a matrix for the virtual showroom, and C would take the user to a purchase screen for the advertised item.

In some cases, the advertising cells are merged as a single cell showing a single advertisement and permitting navigation to only a single matrix layer therefrom. In one embodiment, the background can be an advertisement. This is also shown in Figures 12a and b. Significantly, the advertisement can be targeted by modifying the ad responsive to the apparent navigation path of the user. This leaves the potential of showing the user an advertisement for a product or service more likely to be of interest. For example, when a user selects Electronics in the example of Figures 10a-g, the next screen may have as background an advertisement, e.g. for Circuit City.

**Figure 13** shows the e-mail creation screen for one embodiment of the invention. This would be reached by pressing 3 on the keypad when the matrix layer of Figure 9d is displayed. Again, all e-mail functions other than actually entering the text and the address can be performed using the simple interface with numerical digits and the letters ABC corresponding to inbox, the outbox, and the sent features of standard e-mail, respectively.

Figure 14 shows an alternative matrix page of one embodiment of the invention. In this embodiment, the matrix occupies only a portion of the screen

Docket No.: 004346.P001X

real estate. The remaining real estate may be occupied by content, a zoom of the focus cell, or advertising.

In the foregoing specification, the invention has been described with reference to specific embodiments thereof. It will, however, be evident that various modifications and changes can be made thereto without departing from the broader spirit and scope of the invention as set forth in the appended claims. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense. Therefore, the scope of the invention should be limited only by the appended claims.

# **CLAIMS**

		Wha	t is claimed is:				
	1	1/	A method comprising:				
The Coll Care of the form that the control of the c	2		providing a web page having a link to a sister site that permits				
	3	simplified navigation; and					
	4		serving pages from the sister site responsive to actuation of the link on				
	5	the web page.					
	1	2.	The method of claim 1 wherein the sister site employs matrix				
	2	navigation, the method further comprising:					
	3		accepting an alpha numeric indication of a navigation option to be				
	4	followed; and					
	5		serving a matrix layer corresponding to the navigation option.				
	1	3.	The method of claim 1 further comprising:				
	2		transcoding a hyper text markup language (HTML) page into an				
	3	extensible markup language (XML) page; and					
	4		applying a document type definition (DTD) to the XML page.				
	1	4.	The method of claim 3 further comprising:				
	2		formatting the XML page using extensible style language (XSL); and				
	3		transforming the formatted page into one of extensible hyper text				
	4	markup lan	guage (XHTML) and HTML.				

1	5.	The method of claim 3 further comprising:
2		applying a cascading style sheet (CSS) to the XML page.
		,
1	.6/	A computer readable storage media containing executable computer
2	program in	structions which when executed cause a digital processing system to
3	perform a	method comprising:
4		providing a web page having a link to a sister site that permits
5	simplified	navigation; and
6		serving pages from the sister site responsive to actuation of the link or
7	the web pag	ge.
1	7.	The computer readable storage media of claim 6 which when executed
2	cause a dig	rital processing system to perform a method further comprising:
3		accepting an alpha numeric indication of a navigation option to be
4	followed; a	and
5		serving a matrix layer corresponding to the navigation option.
1	8.	The computer readable storage media of claim 6 which when executed
2	cause a dig	rital processing system to perform a method further comprising:
3		transcoding a hyper text markup language (HTML) page into an
4	extensible 1	markup language (XML) page; and
5		applying a document type definition (DTD) to the XML page.
1	9.	The computer readable storage media of claim 8 which when executed
2	cause a dig	gital processing system to perform a method further comprising:

formatting the XML page using extensible style language (XSL); and

- 4 transforming the formatted page into one of extensible hyper text 5 markup language (XHTML) and HTML. 1 10. The computer readable storage media of claim 8 which when executed 2 cause a digital processing system to perform a method further comprising: 3 applying a cascading style sheet (CSS) to the XML page. A method comprising: 1 2 segmenting a displayable image into a plurality of regions; and 3 moving algorithmically from region to region responsive to a tab 4 signal. 12. 1 The method of claim 11 further comprising: enlarging a focus region as displayed. 1 13. The method of claim 11 further comprising: 2 highlighting a next adjacent link within a focus region responsive to a 3 scroll signal. 1 14. The method of claim 11 wherein boundaries of the plurality of regions 2 are not displayed. 1 15. The method of claim 12 further comprising: 2 scaling a subset of non-focus regions to be displayed.
- 1 16. The method of claim 11 further comprising: 2 associating a region with an identifying symbol.

2

1

2

3

4

5

and

- 1 17. The method of claim 16 wherein the web page is a matrix layer and the regions are matrix cells.
- 1 18. The method of claim 16 further comprising:
  2 receiving a signal corresponding to the symbol; and
  3 causing the region corresponding to the symbol to be a focus region.
- 1 19. The method of claim 11 further comprising:
   2 highlighting a link within a current region.
  - 20. The method of claim 11 further comprising: highlighting a link within a current region.
  - 21. A method comprising:

    defining a tab signal;

    defining a scroll signal;

    moving a focus between regions of a page responsive to the tab signal;
- highlighting links in a sequential manner within a focus region responsive to the scroll signal.
- 1 22. The method of claim 21 further comprising: 2 enlarging the focus region relative to non-focus regions on the page.

### **ABSTRACT**

A method and apparatus of simplified navigation. A web page is provided having a link to a sister site. The sister site facilitates simplified navigation. Pages from the sister site are served responsive to actuation of the sister site link. In one embodiment, the sister site includes matrix pages to permit matrix navigation.

Docket No.: 004346.P001X -27- Express Mail No.: EM522829376US





FIG. 1

















Essentials




Quotes

People



(intio)







AOL.COM vister site





Yahoo! Mail free email for life

Free **Internet Access** 

Search advanced search

Shopping - Auctions - Yellow Pages - People Search - Maps - Travel - Classifieds - Personals - Games - Chat - Clubs Mail - Calendar - Messenger - Companion - My Yahoo! - News - Sports - Weather - TV - Stock Quotes - more...

#### Yahoo! Shopping - Thousands of stores. Millions of products.

#### Departments

- · Apparel · Flowers
- · Bath/Beauty · Food/Drink · Computers Music
- Electronics
- · Video/DVD

# Stores

- · Toys R Us
- · <u>Gap</u>
- · Vermont Teddy Bear · MP3 players
- · Macy's

- · Digital cameras · Pokemon
- · DVD players

#### In the News

- Clinton urges Congress to back Congo force
- Windows 2000 debut
- NASA releases NEAR asteroid images

#### more..

# Arts & Humanities

Literature, Photography...

## Business & Economy

Companies, Finance, Jobs ...

## **Computers & Internet**

Internet, WWW, Software, Games...

# Education

College and University, K-12...

# Entertainment

Cool Links, Movies, Humor, Music...

### Government

Elections, Military, Law, Taxes...

#### **Health**

Medicine, Diseases, Drugs, Fitness...

#### News & Media

Full Coverage, Newspapers, TV...

#### Recreation & Sports

Sports, Travel, Autos, Outdoors...

#### Reference

Libraries, Dictionaries, Quotations...

#### Regional

Countries, Regions, US States...

#### **Science**

Animals, Astronomy, Engineering...

### Social Science

Archaeology, Economics, Languages...

# **Society & Culture**

People, Environment, Religion ...

#### Marketplace

- Loan Center auto loans, mortgages, credit reports
- Yahoo! Bill Pay free 3-month
- Yahoo! Autos buy new and used cars

#### Inside Yahoo!

- Yahoo! Outloud featuring Smash Mouth
- Y! Mobile Yahoo! on your phone
- · Play free Fantasy Auto Racing
- Y! Greetings free greeting cards

more...

World Yahoo!s Europe: Denmark - France - Germany - Italy - Norway - Spain - Sweden - UK & Ireland

Pacific Rim: Asia - Australia & NZ - China - Chinese - HK - Japan - Korea - Singapore - Taiwan Americas: Brazil - Canada - Mexico - Spanish

Yahoo! Get Local <u>LA - NYC - SF Bay - Chicago - more...</u>

Other Autos - Careers - Digital - Entertainment - Greetings - Health - Invites - Local Events - Net Events Message Boards - Movies - Music - Real Estate - Small Business - Y! Internet Life - Yahooligans!

Yahoo! prefers



How to Suggest a Site - Company Info - Privacy Policy - Terms of Service - Contributors - Openings at Yahoo!

Copyright © 2000 Yahoo! Inc. All rights reserved. Copyright Policy

F16 25









FIG. 3















FIG. 7



F168

Improvements Welcome Amazon. TOBO Video 0 3 **All Products Electronics** Software Auctions Books Video Games zShops SES. Toys amazon.com BANANA REPUBLIC 1 Note Wattre con PORIGINS NORDSTROM.com Enchanted Moor macyscom sister site patagonia 

Welcome

Books

SESO.

BANANA REPUBL

Toys

VORDSTROMIC

DVD & Video

**Electronics** 

Software

Video Games

Auctions

**Improvements** 

Home

zShops

Search

Amazon

803

All Products

amazon.com sister site

Welcome Books Music GUESS  DVD Electronics Toys & Managements Software Video Games Malayonia  Home Improvements Auctions zShops  Amazon.  Search All Products Toys & Management Managements All Products Sister site				E16 90	•
Books Music GUESS  Electronics Toys & Video Games patagonia  Auctions zShops NORDSTROM.com		amazon.com sister site		Search All Products	Amazon.
Books Music GUESS  Electronics Toys & Software Video Games Datatonia			ZShops	Auctions	Home Improvements
Books	700	WANNA RUBUUG	Toys & Video Games	Electronics & Software	DVD & Video
	7 % 2		Music	Books	Welcome

Photography Architecture, È

Audiobooks

**Biographies** 

Memoirs

Computers Internet

> BAWAW REPUBL BIOSEPE

NORDSTROM.cor

**PORIGINS** 

Amazon.

Food & Wine

Entertainment

More.

Cooking,

Investing

Business

Children's

Books


Search


All Products


0 0 0


the state of the s

amazon.com sister site










Technics

SA-EX110

\$150

Our Price: \$120




Features

Rank #1
Consumer Reports



Consumer Report



CD Players Tape Players Recorde Soun Digital History Audio Electronics **Shopping & Products** 

	narks Connection Settings	Email Section 1	Fig. 126
Préferences	Promotions Bookmarks Listings	Search	

Attorney's Docket No.: <u>004346.P001X</u>

# DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or any original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is

# AN APPARATUS AND METHOD FOR SIMPLE WIDE-AREA

uie sp	ecification of which	or recruation	ication Number al Application Number on	
patenta year promore to an inverse utility of I acknowly acknowly acknowly I hereby applica	ed invention was ever led or described in any- tior to this application, han one year prior to the entor's certificate issue as on an application fill patent application) or so whedge the duty to dis- de of Federal Regulation y claim foreign priority tion(s) for patent or in-	known or used in the Unite printed publication in any that the same was not in phis application, and that the defore the date of this application, and ged by me or my legal reprix months (for a design packed all information knowns, Section 1.56.	ed States of America be country before my investigation in any country beginning in the invention has not be explication in any country esentatives or assigns natent application) prior to the two me to be material.  United States Code, Se	to patentability as defined in Title
	oreign Application(s):			1
Prior Fo				
Prior Fo	APPLICATION NUMBER	COUNTRY (OR INDICATE IF PCT)	DATE OF FILING (day, month, year)	PRIORITY CLAIMED
Prior Fo		COUNTRY (OR INDICATE IF PCT)		□ No □ Yes
Prior Fo		COUNTRY (OR INDICATE IF PCT)		

**NUMBER** FILING DATE

APPLICATION

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION NUMBER	FILING DATE	STATUS (ISSUED, PENDING, ABANDONED)

I hereby appoint BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN, a firm including: William E. Alford, Reg. No. 37,764; Farzad E. Amini, Reg. No. 42,261; Amy M. Armstrong, Reg. No. 42,265; Aloysius T. C. Au Yeung, Reg. No. 35,432; William Thomas Babbitt, Reg. No. 39,591; Carol F. Barry, Reg. No. 41,600; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Bereznak, Reg. No. 33,474; Michael A. Bernadicou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Ronald C. Card, Reg. No. 44,587; Thomas M. Coester, Reg. No. 39,637; Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,813; Robert Andrew Diehl, Reg. No. 40,992; Matthew C. Fagan, Reg. No. 37,542; Tarek N. Fahmi, Reg. No. 41,402; Paramita Ghosh, Reg. No. 42,806; James Y. Go, Reg. No. 40,621; James A. Henry, Reg. No. 41,064; Willmore F. Holbrow III, Reg. No. 41,845; Sheryl Sue Holloway, Reg. No. 37,850; George W Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; William W. Kidd, Reg. No. 31,772; Sang Hui Kim, Reg. No. 40,450; Eric T. King, Reg. No. 44,188; Erica W. Kuo, Reg. No. 42,775; Michael J. Mallie, Reg. No. 36,591; Paul A. Mendonsa, Reg. No. 42,879; Darren J. Milliken, Reg. No. 42,004; Chun M. Ng, Reg. No. 36878; Thien T. Nguyen, Reg. No. 42,879; Darren J. Milliken, Reg. No. 42,034; Dennis A. Nicholls, Reg. No. 42,036; Lisa A. Norris, Reg. No. 44,976; Daniel E. Ovanezian, Reg. No. 41,236; William F. Ryann, Reg. No. 41,313; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,391; James C. Scheller, Reg. No. 41,313; James H. Salter, Reg. No. 39,397; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. 42,179; Edwin H. Taylor, Reg. No. 25,129; George G. C. Tseng, Reg. No. 41,355; Joseph A. Twarowski, Reg. No. 40,216; Charles T. J. Weigell, Reg. No. 43,398; James M. Wu, Reg. No. 45,241; Steven D. Yates, Reg. No. 40,216; Charles T. J. Weigell, Reg. No. 43,398; James M. Wu, Reg. No. 43,203; my p

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name o	f Sole/First Inventor (given name, family name)	Elliot A	. Gottfurcht
Inventor's Sign	nature	Date 2	-3-90
Residence	Pacific Palisades, California (City, State)	Citizenship	U.S. (Country)
P. O. Address	1018 Hartzell		
	Pacific Palisades, California 90272 U.S.		

Full Name of Second/Joint Inve	ntor (given name, family name)	Grant	E. Gottfurcht
Inventor's Signature		Date <u>E</u>	3/03/00
Residence Pacific Palisades, Cal	ifo <b>rni</b> a	Citizenship	U.S.
(City, Sta		Cruzensinp	(Country)
P. O. Address 1018 Monument			
Pacific Palisades, Cal	lifornia 90272 U.S.		//
Full Name of Third/Joint Invent	Or (given name, family name)	Albert-N	Aichel C. Long
Inventor's Signature		Date	3/3/00
Residence Irvine, California		Citizenship	U.S.
P. O. Address 5 Cannes	ste)	_ •	(Country)
r. O. Address <u>3 Cannes</u>			
Irvine, California 92	614 U.S.		
Full Name of Fourth/Joint Inven		Date	
Residence		Citizenship	
(City, Sta	te)	Citizensinp	(Country)
Full Name of Fifth/Joint Invento	r (given name, family name)		
Inventor's Signature		Date	
Residence		Citizenship	
P. O. Address		, and a	(Country)